



Plumbing with Ease

CPVC | SWR
Price List

EasyFlow HDR

Pipes & Fittings

**"Built to Last, Engineered for Life
- EasyFlow Pipes You Can Trust!"**



CPVC | SWR

why us

We are premier manufacturer and supplier of top-quality plumbing pipes and fittings. Founded in 2014, our company has built a strong reputation for delivering durable and innovative plumbing solutions that meet the diverse needs of residential, commercial, and industrial customers. Our Journey With over one decades of industry experience. Our success is built on a foundation of quality, innovation, and customer satisfaction. Through continuous improvement and dedication to excellence, we have become a trusted name in the plumbing industry. Our mission is to provide superior plumbing products that ensure safety, reliability, and efficiency. We are committed to enhancing the lives of our customers by offering solutions that stand the test of time and meet the highest standards of performance. Our Vision To be the global leader in the plumbing industry, known for our cutting-edge products, exceptional quality, and unparalleled customer service. We strive to set new benchmarks in innovation and sustainability, driving the industry forward. What We Value Quality: Excellence is at the core of everything we do. Our products undergo rigorous testing to ensure they meet the highest quality standards.

Innovation: We invest heavily in research and development to bring the latest technological advancements to our customers.

Sustainability : We are committed to eco-friendly practices and sustainable growth, minimizing our environmental impact.

Customer Focus : Our customers are the heart of our business. We listen to their needs and deliver solutions that exceed their expectations.



You Can Trust!"
on
EasyFlow HDR
Pipes & Fittings

EasyFlow HDR

Pipes & Fittings



CPVC PIPES & FITTINGS

EasyFlow CPVC Pipes & Fittings designed to withstand higher temperature up to 90° C. These pipes and fittings are exceptionally good for plumbing application. The CPVC pipes and fitting are joined with specially formulated CPVC Solvent Cement.

- Fire & Chemical resistance
- High Impact strength even in low temperature conditions
- Quality assured through stringent sample testing at independent laboratories.
- Very low lifetime ownership cost making the system very cost effective.

Application

- High rise Residential Buildings, Complexes and Societies
- Commercial and Industrial Installation
- Chemical and Pharma Industries
- Food and Beverages
- Hospitals and Hotels
- Pulp and Paper Industries

Horizontal and vertical supports

The Fixing clamps used for anchoring conduit system to structural element of the building and protecting the pipes against excessive bucking. The Fixing clamps are to be firmly mounted, in order to prevent vibrations and transmission of noise. Spacing of such clamps depends on the temperature of conveyed medium and diameter of conduit.

Distance Between Support Points

HORIZONTAL AND VERTICAL SUPPORTS

SPACING

Nominal Pipe Size		21° C (70°F)		49° C (120°F)		71° C (160°F)		82° C (180°F)	
Inch	mm	FT	(cm)	FT	(cm)	FT	(cm)	FT	(cm)
½"	15	5.5	167.70	4.5	137.16	3.0	91.44	2.5	76.20
¾"	20	5.5	167.70	5.0	152.40	3.0	91.44	2.5	76.20
1"	25	6.0	182.88	5.5	167.70	3.5	106.88	3.5	91.44
1¼"	32	6.5	198.12	6.0	182.88	3.5	106.88	3.5	106.68
1½"	40	7.0	213.36	6.0	182.88	3.5	106.88	3.5	106.68
2"	50	7.0	213.36	6.5	198.12	4.0	121.92	3.5	106.68

Pipe Dimensions And Pressure Rating Chart As Per ASTM D-2846

Nominal Bore		Outer Diameter (D) in mm		SDR - 11				SDR - 13.5			
				Wall Thickness (T) in mm		Working Pressure at		Wall Thickness (T) in mm		Working Pressure at	
						23°C	82°C			23°C	82°C
Inch	mm	Average	Tolerance	Minimum	Tolerance	Kg / cm²		Minimum	Tolerance	Kg / cm²	
½"	15	15.90	+/-0.08	1.73	+/-0.51	28.10	7.0	1.40	+/-0.51	22.50	5.6
¾"	20	22.20	+/-0.08	2.03	+/-0.51	28.10	7.0	1.65	+/-0.51	22.50	5.6
1"	25	28.60	+/-0.08	2.59	+/-0.51	28.10	7.0	2.12	+/-0.51	22.50	5.6
1¼"	32	34.90	+/-0.08	3.18	+/-0.51	28.10	7.0	2.59	+/-0.51	22.50	5.6
1½"	40	41.30	+/-0.10	3.78	+/-0.51	28.10	7.0	3.06	+/-0.51	22.50	5.6
2"	50	54.00	+/-0.10	4.90	+/-0.58	28.10	7.0	4.0	+/-0.58	22.50	5.6

Approximate Number Of Joints That Can Be Made With One Fusion Compound (solvent Cement) Can

Norman Size	Inch	½"	¾"	1"	1¼"	1½"	2"
	mm	15	20	25	32	40	50
Approx Number Of Joints Per Can	50 ml	35	23	15	14	10	07
	118 ml	82	55	34	33	23	17
	237 ml	164	110	68	66	46	34
	473 ml	328	220	136	132	92	68
	946 ml	656	440	272	264	184	136



PIPES SDR-11 (3 Mtr. & 5 Mtr.)

Size		Pkg. Bag	Rate	
Inch	mm		3 Mtr.	5 Mtr.
1/2"	15	130	282.00	465.00
3/4"	20	60	386.00	682.00
1"	25	40	612.00	1062.00
1 1/4"	32	30	955.00	1589.00
1 1/2"	40	20	1319.00	2198.00
2"	50	12	2205.00	3672.00



SDR - 13.5 ASTM - 2846

Size		Pkg. Bag	Rate	
Inch	mm		3 Mtr.	5 Mtr.
1/2"	15	130	241.00	403.00
3/4"	20	60	374.00	625.00
1"	25	40	552.00	918.00
1 1/4"	32	30	798.00	1331.00
1 1/2"	40	20	1114.00	1854.00
2"	50	12	1831.00	3051.00

CPVC PLUMBING FITTINGS



ELBOW 90°

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate
Inch	mm			
1/2"	15	100	800	14.60
3/4"	20	50	500	18.30
1"	25	50	250	36.90
1 1/4"	32	25	150	74.20
1 1/2"	40	15	105	155.40
2"	50	6	48	325.80



COUPLER

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate
Inch	mm			
1/2"	15	200	1200	11.40
3/4"	20	100	800	14.30
1"	25	50	400	24.80
1 1/4"	32	35	245	45.80
1 1/2"	40	25	150	93.50
2"	50	10	80	196.00



EQUAL TEE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
1/2"	15	200	1000	19.90
3/4"	20	50	400	29.90
1"	25	25	200	47.00
1 1/4"	32	15	105	95.00
1 1/2"	40	10	60	191.90
2"	50	5	30	409.10



UNION

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
1/2"	15	50	300	56.60
3/4"	20	40	240	96.90
1"	25	20	160	142.40
1 1/4"	32	20	100	183.20
1 1/2"	40	12	72	304.10
2"	50	6	36	543.60



MALE THREADED ADAPTOR (PLASTIC)

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
1/2"	15	200	1600	13.50
3/4"	20	50	800	23.10
1"	25	50	500	35.60
1 1/4"	32	40	240	56.10
1 1/2"	40	25	150	86.20
2"	50	12	96	167.00
3/4" x 1/2"	20 x 15	50	400	29.40



FEMALE THREADED ADAPTOR (PLASTIC)

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
1/2"	15	50	500	18.80
3/4"	20	50	700	31.40
1"	25	50	350	45.00
1 1/4"	32	35	210	114.00
1 1/2"	40	20	160	151.40
2"	50	12	72	238.80



ELBOW 45°

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
1/2"	15	100	800	17.60
3/4"	20	50	300	28.10
1"	25	25	150	48.70



CROSS TEE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
1/2"	15	50	750	34.20
3/4"	20	50	300	68.40
1"	25	25	150	113.00



END CAP

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½"	15	200	2000	8.40
¾"	20	100	1800	13.00
1"	25	50	900	19.50
1¼"	32	50	500	44.70
1½"	40	50	300	66.60
2"	50	20	160	141.80



REDUCER COUPLER

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾" x ½"	20 x 15	100	600	20.90
1" x ½"	25 x 15	50	600	30.10
1" x ¾"	25 x 20	50	600	30.80
1¼" x ½"	32 x 15	35	245	105.10
1¼" x ¾"	32 x 20	35	245	81.50
1¼" x 1"	32 x 25	35	245	75.90
1½" x ½"	40 x 15	25	150	177.70
1½" x ¾"	40 x 20	25	150	157.60
1½" x 1"	40 x 25	25	150	156.50
1½" x 1¼"	40 x 32	25	150	107.10
2" x ½"	50 x 15	15	60	329.80
2" x ¾"	50 x 20	15	60	323.20
2" x 1"	50 x 25	15	60	324.60
2" x 1¼"	50 x 32	15	60	329.90
2" x 1½"	50 x 40	15	60	246.40



TANK NIPPLE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½"	15	50	200	60.20
¾"	20	25	200	66.00
1"	25	25	150	99.80
1¼"	32	15	90	158.40
1½"	40	10	80	228.60
2"	50	5	48	361.90



SOCKET TANK NIPPLE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾"	20	40	240	66.00
1"	25	25	175	99.80
1¼"	32	15	90	158.40
1½"	40	10	80	228.60
2"	50	8	48	361.90



REDUCER TEE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾" x ½"	20 x 15	25	450	44.10
1" x ½"	25 x 15	25	300	77.90
1" x ¾"	25 x 20	25	200	68.70
1¼" x ¾"	32 x 20	20	120	142.50
1¼" x 1"	32 x 25	20	120	133.80
1½" x ¾"	40 x 20	10	60	214.00
1½" x 1"	40 x 25	10	60	216.90
1½" x 1¼"	40 x 32	10	60	212.90
2" x ¾"	50 x 20	5	30	428.30
2" x 1"	50 x 25	5	30	411.20
2" x 1¼"	50 x 32	5	30	356.70
2" x 1½"	50 x 40	5	30	363.40



REDUCER BUSH

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾" x ½"	20 x 15	250	1000	11.60
1" x ½"	25 x 15	100	500	25.00
1" x ¾"	25 x 20	50	500	20.00
1¼" x ½"	32 x 15	50	300	40.00
1¼" x ¾"	32 x 20	50	300	35.50
1¼" x 1"	32 x 25	50	300	29.40
1½" x ½"	40 x 15	50	300	63.70
1½" x ¾"	40 x 20	50	300	55.60
1½" x 1"	40 x 25	50	300	55.20
1½" x 1¼"	40 x 32	50	300	42.50
2" x ½"	50 x 15	25	150	114.60
2" x ¾"	50 x 20	25	150	112.00
2" x 1"	50 x 25	25	150	112.00
2" x 1¼"	50 x 32	25	150	115.90
2" x 1½"	50 x 40	25	150	99.60



REDUCING ELBOW

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾" x ½"	20 x 15	100	400	26.10
1" x ¾"	25 x 20	50	350	47.00

CPVC BRASS FITTINGS



FEMALE THREADED BRASS ELBOW

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½" x ½"	15 x 15	25	300	70.90
¾" x ¾"	20 x 20	20	160	109.20
1" x 1"	25 x 25	15	90	398.70
¾" x ½"	20 x 15	25	200	77.90
1" x ½"	25 x 15	25	150	115.60
1" x ¾"	25 x 20	20	120	201.20



BRASS TEE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½" x ½"	15 x 15	25	300	87.60
¾" x ¾"	20 x 20	25	100	140.80
1" x 1"	25 x 25	25	75	299.50
¾" x ½"	20 x 15	25	150	90.70
1" x ½"	25 x 15	25	100	126.40
1" x ¾"	25 x 20	25	100	221.00



MALE THREADED BRASS ADAPTOR

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½"	15	50	350	162.10
¾"	20	25	200	202.30
1"	25	25	100	344.40
¾" x ½"	20 x 15	25	250	125.80
1" x ½"	25 x 15	25	200	162.30
1" x ¾"	25 x 20	25	125	233.10



FEMALE THREADED BRASS ADAPTOR

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½"	15	25	400	156.50
¾"	20	25	200	188.00
1"	25	25	125	303.60
¾" x ½"	20 x 15	25	250	88.10
1" x ½"	25 x 15	25	250	113.50
1" x ¾"	25 x 20	25	150	244.00



MALE THREADED ADAPTOR (HEXAGON)

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾"	20	25	200	248.60
1"	25	25	100	393.30
1¼"	32	8	64	734.40
1½"	40	6	48	922.60
2"	50	4	32	1764.40
¾" x ½"	20 x 15	25	250	167.10
1" x ¾"	25 x 20	25	150	264.20



FEMALE THREADED ADAPTOR (HEXAGON)

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾"	20	25	200	250.00
1"	25	25	100	387.60
1¼"	32	8	64	753.00
1½"	40	6	48	851.70
2"	50	4	32	1598.60
1" x ¾"	25 x 20	25	150	278.20



MALE THREADED TEE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½" x ½"	15 x 15	25	175	187.00
¾" x ½"	20 x 15	25	150	192.60
1" x ¾"	25 x 20	30	90	317.90



MALE THREADED ELBOW

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½" x ½"	15 x 15	25	300	150.50
¾" x ½"	20 x 15	25	200	156.10
1" x ¾"	25 x 20	25	100	237.20
1"	25	15	90	480.50



BRASS MALE UNION

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾"	20	20	160	568.30
1"	25	20	60	718.40

CPVC PLUMBING FITTINGS




BALL VALVE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½"	15	30	300	111.50
¾"	20	1	120	184.90
1"	25	1	80	315.80
1¼"	32	6	48	603.80
1½"	40	4	36	995.10
2"	50	2	20	1711.50



STEP OVER BEND

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½"	15	25	150	66.80
¾"	20	30	180	90.60
1"	25	16	48	158.40




CONCEALED VALVE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾"	20	1	45	980.00
1"	25	1	30	1160.00



NON RETURN VALVE (NRV)

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾"	20	10	70	324.95
1"	25	10	50	745.00



WALL MIXTURE

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾" x ½"	20 x 15	1	40	389.00



EXTENDED END PLUG

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
½"	15	50	500	10.20
¾"	20	50	500	16.60



SOLVENT CEMENT

Size	Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
ML Tin			
25 ml	20 x 100	500	101.00
50 ml	12 x 24	288	157.00
118 ml	6 x 24	144	258.00
237 ml	4 x 24	96	515.00
437 ml	4 x12	48	896.00
946 ml	1 x 10	10	1568.00



LONG BEND

Size		Pcs. (Per.) Pkt	Pcs. (Per.) BOX	Rate Per Pc.
Inch	mm			
¾"	20	100	400	72.00
1"	25	45	180	125.00
1¼"	32	30	90	192.00



Quality Assured

EazyFlow HDR

Pipes & Fittings

SWR PIPES & FITTINGS



IS - 14735



CM/L - 8530083515

SWR pipes and fittings are used for non-pressure plumbing applications, such as transportation of soil, waste and rainwater, non-pressure industrial drainage applications, and waste discharge systems in residential and commercial complexes, resorts, and hospitals.

EazyFlow SWR pipes system is an ideal replacement for CI and GI piping systems because it is lightweight, economical, non-corrosive and UV stabilized, which makes it highly durable. It offers extreme climate resistance and a smooth inner surface to prevent clogging.

Application

- Waste discharge system in residences, commercial complexes, resorts, hospitals etc.
- Venting of gases and odors in domestic plumbing
- Non-pressure industrial drainage application (based on chemical compatibility)
- Rain water transportation and harvesting for residential & commercial buildings

EasyFlow SWR (Soil, Waste, and Rain) pipes and fittings are essential components in plumbing systems, designed to handle the discharge of wastewater, rainwater, and soil from buildings. Commonly used in residential, commercial, and industrial applications.

SWR Pipes and Fittings Application :

Soil Pipes : Used for carrying soil or waste from toilets and urinals.
Waste Pipes : Designed to carry waste from sinks, showers, and other appliances.
Rainwater Pipes : Used for draining rainwater from roofs and other areas.

Advantages :

Corrosion Resistance : uPVC does not rust, making it ideal for long-term use.
Leak-Proof : High-quality joints and fittings ensure a leak-free system.
Easy Installation : Lightweight and easy to handle, reducing installation time and labor costs.
Low Maintenance : Requires minimal maintenance once installed.

Applications :

Residential buildings for waste management.
Commercial complexes for efficient rainwater drainage.
Industrial setups where chemical resistance is required.
SWR systems are widely preferred due to their efficiency, cost-effectiveness, and reliability in managing waste and water drainage.

SWR PIPE (SELF FIT) ISI-8530070538

SWR SELF FIT - TYPE - A				
Size		Rate		
Inch	mm	3 Mtr.	6 Mtr.	
2½"	75	486.00	972.00	
3"	90	648.00	1296.00	
4"	110	972.00	1944.00	
6"	160	1944.00	3888.00	

SWR FITTINGS (SELF FIT) CM/L-8530083414

BEND 87.5°				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	50	86.90	
4"	110	34	161.20	

SINGLE TEE				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	32	116.90	
4"	110	26	219.50	

SINGLE Y				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	32	148.20	
4"	110	18	296.70	

REDUCER TEE				
Size		Box Packing	Rate	
Inch	mm			
4" x 2½"	110 x 75	28	202.10	

COUPLER				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	90	58.50	
4"	110	80	110.00	

BAND 45°				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	60	79.20	
4"	110	40	138.20	

LONG P-TRAP				
Size		Box Packing	Rate	
Inch	mm			
4" x 4"	110 x 110	15	375.00	
4½" x 4"	125 x 110	14	389.00	

SHORT P-TRAP				
Size		Box Packing	Rate	
Inch	mm			
4" x 4"	110 x 110	17	333.00	
4½" x 4"	125 x 110	16	359.00	

SWR SELF FIT - TYPE - B				
Size		Rate		
Inch	mm	3 Mtr.	6 Mtr.	
2½"	75	891.00	1782.00	
3"	90	1093.00	2186.00	
4"	110	1323.00	2646.00	
6"	160	2430.00	4860.00	

BEND WITH DOOR				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	38	112.20	
4"	110	28	211.50	

SINGLE TEE WITH DOOR				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	24	148.20	
4"	110	20	285.40	

SINGLE Y WITH DOOR				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	26	189.00	
4"	110	16	366.40	

REDUCING TEE WITH DOOR				
Size		Box Packing	Rate	
Inch	mm			
4" x 2½"	110 x 75	28	266.40	

CLEANING PIPE				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	40	125.60	
4"	110	32	255.90	

DOUBLE TEE				
Size		Box Packing	Rate	
Inch	mm			
2½"	75	24	205.60	
4"	110	16	314.40	


NAHANI TRAP				
Size		Box Packing	Rate	
Inch	mm			
4" x 2½"	110 x 75	50	128.00	
4" x 3"	110 x 90	48	152.00	
4" x 4"	110 x 110	38	178.00	

EazyFlow HDR

Pipes & Fittings

SWR PIPES & FITTINGS

SWR PIPE (RING FIT) ISI-8530070538



SWR pipes and fittings are used for non-pressure plumbing applications, such as transportation of soil, waste and rainwater, non-pressure industrial drainage applications, and waste discharge systems in residential and commercial complexes, resorts, and hospitals.

EazyFlow SWR pipes system is an ideal replacement for CI and GI piping systems because it is lightweight, economical, non-corrosive and UV stabilized, which makes it highly durable. It offers extreme climate resistance and a smooth inner surface to prevent clogging.

Application

- Waste discharge system in residences, commercial complexes, resorts, hospitals etc.
- Venting of gases and odors in domestic plumbing
- Non-pressure industrial drainage application (based on chemical compatibility)
- Rain water transportation and harvesting for residential & commercial buildings

SWR PIPE (RING FIT) ISI-8530070538



SWR RING FIT - TYPE - A

Size		Rate	
inch	mm	3 Mtr.	6 Mtr.
2½"	75	499.00	985.00
3"	90	661.00	1309.00
4"	110	985.00	1957.00
6"	160	1957.00	3901.00



SWR RING FIT - TYPE - B

Size		Rate	
Inch	mm	3 Mtr.	6 Mtr.
2½"	75	904.00	1795.00
3"	90	1106.00	2199.00
4"	110	1336.00	2659.00
6"	160	2443.00	4873.00

SWR FITTINGS (RING FIT) CM/L-8530083414



BEND 87.5°

Size		Box Packing	Rate
Inch	mm		
2½"	75	50	95.97
4"	110	32	168.00



SINGLE TEE

Size		Box Packing	Rate
Inch	mm		
2½"	75	30	137.60
4"	110	20	221.55



SINGLE Y

Size		Box Packing	Rate
Inch	mm		
2½"	75	24	179.28
4"	110	16	318.51



REDUCER TEE

Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	24	234.72



COUPLER

Size		Box Packing	Rate
Inch	mm		
2½"	75	80	97.80
4"	110	52	150.72



BAND 45°

Size		Box Packing	Rate
Inch	mm		
2½"	75	60	89.10
4"	110	40	160.33



BEND WITH DOOR

Size		Box Packing	Rate
Inch	mm		
2½"	75	38	132.04
4"	110	28	217.35



SINGLE TEE WITH DOOR

Size		Box Packing	Rate
Inch	mm		
2½"	75	24	171.57
4"	110	16	267.75



SINGLE Y WITH DOOR

Size		Box Packing	Rate
Inch	mm		
2½"	75	20	216.82
4"	110	16	375.90



REDUCING TEE WITH DOOR

Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	20	333.32



REDUCER

Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	56	124.16



CLEANING PIPE

Size		Box Packing	Rate
Inch	mm		
2½"	75	40	141.43
4"	110	30	253.47



DOUBLE TEE

Size		Box Packing	Rate
Inch	mm		
2½"	75	20	162.80
4"	110	24	323.00

OUR PRODUCT QUALITY APPROVALS





***EasyFlow* HDR**

Pipes & Fittings

GET IN TOUCH

Pushp Global Company

Plot No. 147, Phase-V, Sector-56 Hsiidc
Industrial Estate, Kundli, Sonipat, Haryana-131028

 pushpglobalcompany@gmail.com